

Protect door openings & building contents from flood water

Drop in and Go!

- Stainless steel springs provide constant seal compression.
- 1/4" Marine grade aluminum shield with handle cutouts.
- Closed cell neoprene rubber gaskets installed on bottom and sides of shield.

Available Now	
FS10	10" high
FS22	22" high
FS34	34" high

- * Up to 96" wide
- * Over 50" support post recommended.



* Complies with guidelines of the Federal Emergency Management Agency (FEMA) and Federal Insurance and Mitigation Administration (FIMA) for use on doors in flood prone areas.

National Guard Products

4985 East Raines Road Memphis, TN 38118 Phone:(800) 647-7874 Fax: (800) 255-7874

MADE IN USA

www.ngp.com

Flood Shield


Flood Shield is designed to help protect door openings and building contents from flood water. This unique product features a spring mechanism that maintains constant tension against the gasketing to create a solid flood barrier.

- 1/4" Marine grade aluminum shield with handle cutouts.
- Closed cell neoprene rubber gaskets installed on bottom and sides of shield.
- Anodized aluminum mounting channels.
- Universal channels can install inside or outside mount.
- Dark bronze mounting channels available (specify).
- Stainless steel springs provide seal compression.
- #10 x 1-1/2" stainless steel sheet metal screws.

Complies with guidelines of the Federal Emergency Management Agency (FEMA) and Federal Insurance and Mitigation Administration (FIMA) for use on doors in flood prone areas.

Lengths up to 96" available.

Over 50" a center support post is recommended. A threshold is recommended if sill is not smooth and clean. Orders for this product are non-changeable and non-cancellable.





NATIONAL GUARD PRODUCTS, INC. |

Phone 800-647-7874 Fax 800-255-7874

orders@ngp.com | www.ngp.com quotes@ngp.com